



PUBLIC

How to Schedule Report Execution and Mailing

Release Family 8.8

Applicable Releases:

SAP Business One 8.81 PL10 and PL11

SAP Business One 8.82 PL01 and later

All Countries

English

May 2012

Table of Contents

- Introduction..... 3**
- Scheduling Report Execution 4**
 - Report Execution Scheduler Window 6
 - General Area 6
 - Recipients Table 8
- Viewing Scheduled Reports in SAP Business One 9**
- Configuring SBO Mailer for Report Scheduling and Mailing 11**
 - Establishing User Credentials for SAP Business One Messaging Service on Microsoft Windows 12
- Authorizations 13**
- Copyrights, Trademarks, and Disclaimers 14**

Introduction

This how-to guide introduces the report scheduling function of SAP Business One. You schedule report executions by running queries and specify recipients of the generated reports. The recipient either obtains the reports via email or views them directly in SAP Business One as a user.

Formats of generated reports include PDF, HTML, and XML. Via email, these reports are sent as attachments; reports in HTML format can also be sent as the email message body.

The following situations are the main triggers for setting up report execution schedules:

- You cannot or do not want to wait a long time for a report to be executed.
- You need to obtain data of certain reports on a regular basis.
- You have no immediate access to SAP Business One, either frequently or for a long time.
- You want to compare the different results of one report executed at regular intervals.

Prerequisites

- You have full authorization for the report scheduling functionality. For more information about authorizations, see the SAP Business One online help.
- You have configured *SBO Mailer*. For more information, see [Configuring SBO Mailer for Report Scheduling and Mailing](#) and the *SAP Business One Administrator's Guide*.

Scheduling Report Execution




You can schedule executions of reports only by running queries without parameters.

Prerequisites

- You have assigned at least one layout to the query you want to run. For more information, see the SAP Business One online help.
- You have configured *SBO Mailer*.

Procedure

1. From the SAP Business One menu bar, choose *Tools* → *Queries* → *Query Manager*.
2. In the *Query Manager* window, select a query and choose the *Schedule* button.



- In the *Report Execution Scheduler* window, in the general area, specify the required details.

Report Execution Scheduler

Active

Report Title: Query - House Bank Accounts Query

Print Layout: House Bank Accounts Query

User Code: manager User Password: ****

Report Run Timeout: 5 Minute(s)

Action on Error: Deactivate on Second Failure

Start Time: 02.12.2011 11:00

Recurrence: Monthly

Repeat Every: 1 Month(s)

Repeat on: Day 2 First Friday

Range Start: 02.12.2011

Range End: No End Date After 1 Occurrence(s) By

Next Execution: 02.12.2011 11:00

Number of Executions: 0 Reset Counter

Remarks:

E-Mail Subject:

HTML Output as Message Body Message Body

#	Recipient	Access to Ov...	Send ...	Email Address	PDF	HTML	XML
1	manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Add Cancel Save as Distribution List Add Recipients

- In the *Recipients* area, specify information about recipients of the generated reports.
To add recipients, choose the *Add Recipients* button.
In the *Add Recipients* window, select required SAP Business One users and distribution lists and choose the *OK* button.
To save specified recipients as members of a new distribution list, choose the *Save as Distribution List* button.
- To enable viewing the report execution results in SAP Business One, select the *Access to Overview* checkbox.



Note

This function is available only for SAP Business One users.

6. To enable sending emails with generated reports to a recipient, select the *Email* checkbox and specify an email address.
7. Specify in which formats you want the generated reports to be sent via email as attachments.
8. Choose the *Add* button.

The scheduled report will be executed and sent to the specified recipients via email at specified times.



Note

To modify a specific report execution schedule, you can access the *Report Execution Scheduler* window to find it or access it directly from the *Scheduled Report Overview* window. For more information, see [Viewing Scheduled Reports in SAP Business One](#).

Report Execution Scheduler Window

To open the *Report Execution Scheduler* window, from the SAP Business One menu bar, choose *Tools* → *Queries* → *Query Manager*.

General Area

UI Element	Description	
<i>Active</i> checkbox	Select this checkbox to specify whether the report is to be executed as scheduled.	
Query type and name	8.81	Displays the query name: Query - <Query Name> Not editable
	8.82	Displays the query category: System Query or User Query Not editable
<i>Report Title</i>	Name of the scheduled report. Displays by default the name of the query to run to generate the report	
<i>Print Layout</i> dropdown list	List of print layouts for generated reports in PDF format	
<i>User Code</i>	Displays the code of the user who makes this particular report execution schedule Not editable	
<i>User Password</i>	Password of the current user who is making the schedule	
<i>Report Execution Timeout</i> dropdown list	Time limit for an unsuccessful report execution	

UI Element	Description
<i>Action on Error</i> dropdown list	<p>Action to be taken if there is any error during report execution. Available options are:</p> <ul style="list-style-type: none"> • <i>Deactivate Immediately</i> • <i>Continue</i> • <i>Deactivate On Second Failure</i> • <i>Deactivate On Third Failure</i> • <i>Deactivate On Fourth Failure</i> <p> Note The second option (<i>Continue</i>) deactivates the schedule.</p>
<i>Start Time</i>	Date and time for the report execution or the first recurring report execution
<i>Recurrence</i> dropdown list	<p>The basis on which the report execution should recur. Available options are:</p> <ul style="list-style-type: none"> • <i>None</i> • <i>Daily</i> • <i>Weekly</i> • <i>Monthly</i> • <i>Annually</i>
<i>Repeat Every</i>	The frequency at which the report execution should recur. Available for daily, weekly, monthly, and annual recurrences
<i>Repeat on</i>	Days on which the report execution recurs. Available for weekly, monthly, and annual recurrences
<i>Range Start</i>	Date of the <i>Start Time</i> field. Available only for recurring executions and not editable
<i>Range End</i>	Ending date or condition of the report execution. Available only for recurring executions
<i>Next Execution</i>	Due time of the next report execution. Available only for recurring executions
<i>Number of Executions</i>	Number of completed executions of the scheduled report, including both successful and failed executions. Not editable.
<i>Reset Counter</i> button	Resets the value of the <i>Number of Executions</i> field to 0. Available only if the value of the <i>Number of Executions</i> field is greater than zero.
<i>Remarks</i>	Notes to the scheduled report; shown in the <i>Scheduled Report Overview</i> window. Optional
<i>Email Subject</i>	Email subject to be displayed after the prefix defined in the <i>SBO Mailer</i> settings. For more information, see Enabling Sending Generated Reports via Email .

UI Element	Description
<i>HTML Output as Message Body</i> radio button	Select this radio button to use the HTML format of the generated report as the email message body.
<i>Message Body</i> radio button	Select this radio button to enter words as the email message body. You can use any HTML tags for formatting the text, except for <HTML> and <BODY> .

Recipients Table

This table lists all recipients of the generated reports and other relevant information.

UI Element	Description
<i>Recipient</i>	Name of the recipient
<i>Access to Overview</i> checkbox	Select this checkbox to grant access to viewing the execution outputs of the scheduled report in SAP Business One. Available only for SAP Business One users
<i>Send Email</i> checkbox	Select this checkbox to enable sending emails with generated reports to the recipient
<i>Email Address</i>	Email address of the recipient
<i>PDF, HTML, XML</i> checkboxes	Formats of the generated reports to be sent via email as attachments

Viewing Scheduled Reports in SAP Business One

In the *Scheduled Report Overview* window, you can view the details of scheduled report executions and the generated reports. The scheduled reports include reports that have not yet been executed or whose schedules have been deactivated.


Prerequisite

In the *Report Execution Scheduler* window, you have been granted access to the *Scheduled Report Overview* window.

Procedure

1. From the SAP Business One menu bar, choose *Tools* → *Scheduled Report Overview*.
2. In the *Scheduled Report Overview* window, to view the details of executions of a scheduled report, click the arrow next to the report title.

To view the details of executions of all scheduled reports, choose the *Expand* button.



Report Title	Remarks	Status	PDF	HTML	XML	Log
▶ Scheduled User Query		Schedule Inactive				
▶ WeekTopLists	Top 3 customers and top	Schedule Inactive				
▶ WeekTopLists2		Schedule Inactive				
▶ TopList		Report Scheduled				
▶ House Bank Accounts Query		Schedule Inactive				
▶ Customers Credit Limit Devi		Schedule Inactive				
▼ WeekTopLists2		Report Scheduled				
18.08.11 11:31		Successful				
18.08.11 11:34		Successful				
18.08.11 11:36		Successful				
18.08.11 11:37		Successful				
18.08.11 11:38		Successful				
21.08.12 11:46		Successful				
21.08.12 11:47		Successful				
21.08.12 11:48		Successful				
21.08.12 11:49		Successful				
21.08.12 11:50		Successful				
21.08.12 11:51		Successful				
21.08.12 11:52		Successful				
21.08.12 11:53		Successful				
21.08.12 11:54		Successful				

3. To view a generated report of one execution, double-click the row.

To view a particular format of a generated report, click the corresponding icon.

To view the execution schedule of a report, double-click the scheduled report row (first level). If you are the creator of the report schedule, in the *Report Execution Scheduler* window that opens, you can modify and update the scheduling settings.

If you are the creator of a report schedule, to remove the report execution details and results, do one of the following:

- To remove all execution details and generated reports, right-click the scheduled report row (first level) and choose *Remove*.


- To remove details and generated reports of one execution, right-click the corresponding row (second level) and choose *Remove*.

Configuring SBO Mailer for Report Scheduling and Mailing

To schedule report execution and send generated reports via email, you must first define the mail settings and scheduled report settings. For more information, see the *SAP Business One Administrator's Guide*.

Procedure

1. In the Windows system tray, double-click  (*SAP Business One Service Manager*).
Alternatively, choose *Start* → *Programs* → *SAP Business One* → *Server Tools* → *Service Manager*.
2. In the *SAP Business One Service Manager* window, in the *Service* dropdown list, select *SBO Mailer* and choose the *Settings* button.
3. In the *General Settings* window, define the mail settings according to your company settings.



General Settings

Mail Settings:

SMTP Server:

SMTP Port:

User name:

Password:

Encoding:

SMTP Client:

Authentication:

Use TLS Encryption

HTML direction right-to-left

Include subject in message body

Fax Settings:

Microsoft Fax Server:

Fax Server Type:

Send error notification to user

Send success notification to user

Send notification by internal mail

Scheduled Report Settings:

SAP Business One Client Executable:

Email subject prefix: Report creation timeout in minutes:

Sender name: Logging Level:

Sender email:

4. In the *Scheduled Report Settings* area, specify the file path of the SAP Business One client.
5. Optionally, enter an email subject prefix which precedes the subject of each scheduled email with the generated report.
6. Enter a name as the email sender.
7. Enter the sender email address.

8. Specify the timeout period for unsuccessful report execution.
9. Specify the logging level.
10. Choose the *OK* button.
11. Connect to a database for which you want to enable the mailing services. For more information, see *SAP Business One Administrator's Guide*, available from within SAP Business One.
12. In the *SAP Business One Service Manager* window, in the *Service* dropdown list, select *SBO Mailer*, choose  (*Play*), and select the checkbox *Start when operating system starts*.

Establishing User Credentials for SAP Business One Messaging Service on Microsoft Windows


When the SBO Mailer service is first started, the default Microsoft credentials for the SAP Business One messaging service are local system credentials. To fully deliver this service, you need to change the credentials to user credentials.

The authenticated user should meet the following two requirements:

- Has a user account in SAP Business One with full authorization for the report scheduling function
- Has a physical printer (not virtual) available

Procedure

1. In the taskbar of Microsoft Windows, choose the *Start* button or  (*Start*).
2. In the start menu, choose *Run*, enter `services.msc`, and choose *OK*.
3. In the *Services* window, configure SAP Business One Messaging Service as required.



For more information about configuring services, refer to the Microsoft online help.

Authorizations

For information about the authorizations required for report scheduling, see the online help as well as the document *How to Define Authorizations*, which you can download from the documentation area of SAP Business One Customer Portal at <http://service.sap.com/smb/sbocustomer/documentation>.

Copyrights, Trademarks, and Disclaimers

© Copyright 2012 SAP AG. All rights reserved.

The current version of the copyrights, trademarks, and disclaimers at <http://service.sap.com/smb/sbocustomer/documentation> is valid for this document.